

Manually-steered battery-operated floor scrubber with disc brushes with a performance up to 1600 m<sup>2</sup>/h. For economic basic cleaning, maintenance cleaning and polishing of surfaces up to 800 m<sup>2</sup>.

# **Standard accessories:**

• Disc brush

• Tank-in-tank system

Order no.: 1.515-251.0



# **Technical data**

| -                              |             |
|--------------------------------|-------------|
| Working width, brush (mm)      | 400         |
| Working width, vacuum (mm)     | 770         |
| Motor rating (W)               | max. 1200   |
| Battery Capacity               | -           |
| Battery Voltage (V)            | 24          |
| Tank fresh/dirt water (I)      | 25/25       |
| Brush contact pressure (g/cm²) | 38          |
| Brush rotation speed (rpm)     | 180         |
| Max. area performance (m²/h)   | 1600        |
| Frequency (Hz)                 | -           |
| Voltage (V)                    | -           |
| Weight (kg)                    | 61          |
| Dimensions (L x W x H) (mm)    | 800x575x830 |
|                                |             |



#### **Details**

### **Description**

The scrubber drier BD 40/25 C for small and blocked floors is equiped with the single knob operation EASY and very easy to maintain. It is very short and has a extremely small turning cycle. So it is exceptionally agile. It has a working scrubbing width of 400 mm. The BD 40/25 C is very quiet, simply to clean and the handle bar can be folded for easy transport. The straight squeegee is equipped with double sided rubber blades (please order squeege separately).

# **Application**

It is suitable for basic cleaning, maintenance cleaning and polishing hard floors. It has a performance of 1600 m² and can be used economically for areas of 200 up to 800 m². It cleans smooth or sructured surfaces properly. On marble and terrazzo it is possible to crystallize. On parquet, watermust be vacuumed immediately (no two-step method). Linoleum can be treated like PVC. For heavy soilings, for polishing or crystalliszing there are special accessories available.

#### Features & Benefits

Battery driven Flexible without power cord. Brush head with transport wheel Easy to use and easy transport. One-button operation - EASY User friendly and easy to maintain. Straight squeegee available Optimized suction effectforall floor conditions possible. Please order separately. Compact size Due to the compact size of the machine it is also possible to clean small blocked areas easily. Tank capacity 25litre fresh water and 25 litre waste water. Two plastic parts for the chassis Only few parts. Integrated a two chambers tank system. Break-and sound-proofed, easy to refill. Fresh water indication The transparent andflexible tubing is easy accessable and indicates the fresh water during cleaning.



#### **Accessories**

#### **Disc Brushes for BD**

# Disc brush, medium

Medium, for all floors.

Order no. 6.906-346.0



#### Disc brush, medium

Medium. For cleaning of all standard applications.

Order no. 6.907-151.0



#### Disc brush, hard

Hard, for heavy soilings und for deep cleaning. For unsensitive floors only.

Order no. 6.906-491.0



# Disc brush, soft

Made of natural fibres, for spray cleaning and for polishing.

Order no. 6.906-492.0



#### Disc brush, very soft

Very soft, for cleaning sensitive surfaces and for polishing.

Order no. 6.906-752.0





#### **Disc Brushes for BD**

#### Disc brush, hard

Hard, for heavy soilings und for deep cleaning. For unsensitive floors only.

Order no. 6.907-152.0



#### Disc brush, soft

Made of natural fibres, for spray cleaning and for polishing.

Order no. 6.907-153.0



# Disc brush, very soft

Order no. 6.907-154.0



# Microfibre pad

### Microfibre pad

Excellent cleaning power. Cleans even pores of fine stonware tiles.

Order no. 6.371-078.0



#### **Miscellaneous**

#### **Suction hose accessories**

For taking in water from corners or containers (e.g. deep freezers). 3.25 m

Order no. 4.444-015.0





#### **Miscellaneous**

#### Filling hose

For easy filling from the tab

Order no. 6.389-524.0



# Cleaning agent dosage kit, wall mounted DS 3

Directly connectable with the tab, water and detergent will be filled in the fresh water tank in the preset mixture. Can also be used with filling system kit.

Order no. 2.641-811.0



#### Pad drive board

#### Pad drive board

Order no. 6.906-964.0



#### Pad drive board

For cleaning with pads. With quick-changing coupling and center lock.

Order no. 6.907-150.0



#### **Pads**

# Pad, hard

Hard, for persistent soilings and for deep cleaning.

Order no. 6.369-789.0





# **Pads**

#### Pads, medium hard

Medium hard, for cleaning stubborn soilings and for deep cleaning.

Order no. 6.369-790.0



#### Pad, medium soft

Medium soft, for wet-cleaning of all surfaces and for spray cleaning.

Order no. 6.369-791.0



# Polishing pad

#### Diamond pad

For restauration as preparation for the purple pad.

Order no. 6.371-187.0



# Diamond pad

For cleaning and high-gloss polishing.

Order no. 6.371-188.0



# Squeegees for suction bars

Rubber lips, standard

standard, blue

Order no. 6.273-253.0





# Squeegees for suction bars

# Rubber lips, oil resistant

oil resistant, brown

Order no. 6.273-254.0



# Rubber lips, non-streak, oil resistant

non-streak, oil resistant, brown

Order no. 6.273-262.0



# Suction bar, complete

#### Squeegee, straight

Straight, without supporting rolls. Squeegees consist of soft natural rubber.

Order no. 4.777-300.0



# Vacuum sweepers and scrubber-dryers - 24 V

#### Charger

For batteries 6.654-048.0 and 6.654-097.0

Order no. 6.654-067.0



#### **Battery**

2 pcs required

Order no. 6.654-093.0





# Vacuum sweepers and scrubber-dryers - 24 V

# **Battery**

2 pcs required

Order no. 6.654-097.0



# Charger

For battery 6.654-093

Order no. 6.654-102.0



# Charger, wide range voltage

for battery 6.654-097, for operating with 100 - 230  $\mbox{V}$ 

Order no. 6.654-179.0



# **Battery**

Maintenance-free traction battery 12 V with fleece technology

Order no. 6.654-264.0

