

Walk-behind scrubber drier with a working width of 55 cm, a capacity of 60 I fresh and 60 I waste water tank for a wide range of applications.

Standard accessories:

- Disc brush
- Mains operation
- Tank-in-tank system

Order no.: 1.384-251.0



Technical data

Working width, brush (mm)	550
Working width, vacuum (mm)	850
Tank fresh/dirt water (I)	60/60
Max. area performance (m²/h)	2200
Brush rotation speed (rpm)	240
Brush contact pressure (g/cm²)	35-40
Frequency (Hz)	50
Voltage (V)	230
Motor rating (W)	1400
Weight (kg)	120
Dimensions (L x W x H) (mm)	1465x674x1162
Battery Voltage	-
Battery Capacity	-



Details

Description

Cleans floors like tiles, marble, rubber floors, linoleum or PVC quickly and thoroughly. The brush pressure is adjustable on the requirements of the surfaces or of the level of soiling. The light weight of the plastic chassis and the wide sweep of the suction beam make the machine exceptionally easy to manoeuvre (1.6-metre turning circle) around corners and obstacles. Through the light weight the machine is suitable for pressure-sensitive soils for instance sports halls. As the machine is line-operated it can be used temporally unlimited. The ergonomic design of this floor scrubber permits relaxed operation.

Application

Optimal for free areas. Ideal for hard and resilient floors, e.g. in supermarkets, hospitals, sports arenas, for contract cleaners, trade or small industrial companies.

Features & Benefits

Attractively designed and compact double-wall tank-in-tank-housing. Easy manoevrable machine. Provide an outstanding cleaning performance even on different kinds of floor surfaces. Easy and convenient to operate. Newly developed large drain outlet. Fast cleaning of the fresh water tank. Newly developed suction channel integrated in the housing cover. Reduces odours and thus takes care for a long pleasant operation. The suction channel cover can be removed without any effort. The suction channel is cleaned very quickly which provides a constant suction performance. Only a few, very good understandable operation elements. No linguistic proficiency necessary! Very light robust plastic frame for easiest manoeuvring. With new integrated fresh water level control. For a lower consumption of detergent-agents and drinking water. The unidirectional brushes arrange an automatic propulsion of the machine and allow relaxed and fatigue-free operation.



Accessories

Disc Brushes for BD

Disc brush, medium

Medium, for all floors.

Order no. 6.906-563.0



Disc brush, hard

Hard, for heavy soilings und for deep cleaning. For unsensitive floors only.

Order no. 6.906-564.0



Disc brush, soft, 300 mm

Made of natural fibres, for spray cleaning and for polishing.

Order no. 6.906-565.0



Disc brush, very soft

Very soft, for cleaning sensitive surfaces and for polishing.

Order no. 6.906-655.0



Microfibre pad

Microfibre pad

Excellent cleaning power. Cleans even pores of fine stonware tiles.

Order no. 6.369-958.0





Miscellaneous

Brake kit

parking brake

Order no. 2.640-376.0



Cleaning agent dosage kit, wall mounted DS 3

Directly connectable with the tab, water and detergent will be filled in the fresh water tank in the preset mixture. Can also be used with filling system kit.

Order no. 2.641-811.0



Suction hose accessories

For taking in water from corners or containers (e.g. deep freezers). 3.25 m

Order no. 4.444-015.0



Gymnasium kit, DIN 18032

Reduces pressure on floor to $< 0.5 \text{ N/mm}^2$.

Order no. 4.744-162.0



Additional weight kit

ensures that squeegee glides optimally

Order no. 5.031-498.0



Filling hose

For easy filling from the tab

Order no. 6.389-524.0





Miscellaneous

Wheel, oil resistant

Machine requires 2 pcs

Order no. 6.435-702.0



Extension cable

20 meter.

Order no. 6.647-022.0



Pad drive board

Pad drive board

For cleaning with pads. With quick-changing coupling and center lock.

Order no. 6.906-566.0



Pads

Pad, medium soft

Medium soft, for wet-cleaning of all surfaces and for spray cleaning.

Order no. 6.369-826.0



Pad, medium hard

Medium hard, for cleaning stubborn soilings and for deep cleaning.

Order no. 6.369-827.0





Pads

Pad, hard

Hard, for persistent soilings and for deep cleaning.

Order no. 6.369-828.0



Polishing pad

Diamond pad

For restauration as preparation for the purple pad.

Order no. 6.371-183.0



Diamond pad

For cleaning and high-gloss polishing.

Order no. 6.371-184.0



Spray extraction mounting kit

Spray suction kit

Facilitates the cleaning of spaces that are difficult to reach such as corners, edges, or between objects.

Order no. 2.640-430.0



Squeegees for suction bars

Rubber lips, non-streak, oil resistant

brown, non-streak, oil resistant

Order no. 6.273-205.0





Squeegees for suction bars

Rubber lips, oil-resistant

oil resistant, brown

Order no. 6.273-207.0



Rubber lips, oil resistant

brown, oil resistant

Order no. 6.273-208.0



Rubber lips, standard

standard, blue

Order no. 6.273-213.0



Rubber lips, standard

standard, blue

Order no. 6.273-214.0



Rubber lips, non-streak, oil-resistant

non-streak, oil resistant, brown

Order no. 6.273-229.0





Suction bar, complete

Squeegee, straight

Straight, with supporting rolls. Squeegees consist of soft natural rubber.

Order no. 4.777-301.0



Squeegee, straight

Straight, with supporting rolls. Squeegees consist of soft natural rubber.

Order no. 4.777-302.0



Squeegee, curved

Curved, with supporting rolls. Squeegees consist of soft natural rubber.

Order no. 4.777-311.0



Squeegee, curved

Curved, with supporting rolls. Squeegees consist of soft natural rubber.

Order no. 4.777-312.0

