BDP 50/1500 C



This Ultra-High-Speed machine BDP 50/1500 C achieves up to 30 % more productivity as conventional High-Speed machines on smooth and high glossy floors.

Standard accessories:

- Working width
- pad 505 mm
- Drive board with centerlock
- Dust vacuum
- Mains operation

Order no.: 1.291-140.0



Technical data

1 ecililicai data	
Working width (mm)	505
Working width, vacuum (cm)	560
Working height (mm)	-
Max. area performance (m²/h)	900
Brush rotation speed (rpm)	1500
Brush contact pressure g/cm²	4
Motor rating (W)	1100
Motor rating, additional	-
Traction motor	-
Sound pressure level (dB(A))	56
Frequency Hz	50
Voltage V	240
Weight (kg)	34.5
Dimensions (L x W x H) (mm)	760x560x1250
Battery Voltage	-
Battery Capacity	-

Polishing machines

BDP 50/1500 C



Application

Ultra-High-Speed-machine for polishing of smooth and high shine floors.

Features & Benefits

1500 rpm for effective and efficient polishing in paths. Reduces dust contamination due to a passive suction. Collecting in a dust container. Neutral in moving. So easy to handle. Automatic adjustment of floor pressure for a regular polishing result.

BDP 50/1500 C



Accessories

Polishing pad

Polishing pad, soft

Soft, with slight grain, for polishing.

Order no. 6.369-468.0



Polishing pad, soft

Soft, with natural fibres, for polishing. Removes skid marks very well.

Order no. 6.371-146.0



Single disc machine

Pump spray bottle, 1 I

For easy, uniform spraying when spray buffing or crystallising, incl. pump and pressure tank

Order no. 6.394-409.0



Pre-spraying unit

Order no. 6.670-020.0

